

DAMASTEEL STOCK AND STANDARD PRODUCTS

AUSTENITIC SOFT STAINLESS DAMASCENE STEEL FOR LUXURY TABLE CUTLERY, JEWELLERY AND PIECES OF ART, 115 - 160 layers

ROUND BARS (958,00), Max length round bar 4 m (13 ft)

Article nr. | Ø mm | Surface | Kg/m | Euro/m (excl. VAT)

PARALLELL LAYERS (956,00)

956,00.01.34 | Ø 34 | Black | 7,10 | 1469

TWIST (956,02) TWISTED BAR WITH PARALLELL LAYERS

956,02.01.15 | Ø 15 | Black | 1,40 | 376

956,02.01.22 | Ø 22 | Black | 3,60 | 967

956,02.01.25 | Ø 25 | Black | 4,50 | 1209

BLUETOUNGE (951,00)

951,00.01.13 | Ø 13 | Black | 1,00 | 207

951,00.01.16 | Ø 16 | Black | 1,60 | 331

951,00.01.24 | Ø 24 | Black | 3,60 | 745

951,00.01.27 | Ø 27 | Black | 4,50 | 931

951,00.01.34 | Ø 34 | Black | 7,10 | 1469

HEIMSKRINGLA (951,08) TWISTED BARS OF BLUETOUNGE

951,08.01.24 | Ø 24 | Black | 3,60 | 1099

951,08.01.27 | Ø 27 | Black | 4,50 | 1373

951,08.01.34 | Ø 34 | Black | 7,10 | 2167

ROUND BARS OF MARTENSITIC DAMASCENE LAMINATED STAINLESS STEEL

115-160 layers for artistic forging and knife blade forging

Max length 4 m. (13 ft)

CONCENTRIC LAYERS (935)

935,00.01.20 | Ø 20 | Black | 2,50 | 503

935,00.01.25 | Ø 25 | Black | 3,85 | 774

935,00.01.33 | Ø 33 | Black | 6,70 | 1348

PARALLELL LAYERS (938)

938,00.01.11 | Ø 11 | Black | 0,75 | 151

938,00.01.17 | Ø 17 | Black | 1,80 | 362

938,00.01.20 | Ø 20 | Black | 2,50 | 503

938,00.01.25 | Ø 25 | Black | 3,85 | 774

938,00.01.33 | Ø 33 | Black | 6,70 | 1348

938,00.01.45 | Ø 45 | Black | 12,50 | 2514

TWIST (938,02) TWISTED BAR WITH PARALLELL LAYERS

Max length 2,5 m (8.2 ft)

938,02.01.11 | Ø 11 | Black | 0,70 | 181

938,02.01.17 | Ø 17 | Black | 1,80 | 465

938,02.01.20 | Ø 20 | Black | 2,50 | 646

938,02.01.25 | Ø 25 | Black | 3,85 | 994

938,02.01.33 | Ø 33 | Black | 6,70 | 1731

938,02.01.45 | Ø 45 | Black | 12,50 | 3229

BLUETOUNGE (931,00)

Max length 2,5 m

931,00.01.20 | Ø 20 | Black | 2,50 | 503

931,00.01.25 | Ø 25 | Black | 3,85 | 774
931,00.01.33 | Ø 33 | Black | 6,70 | 1348
931,00.01.45 | Ø 45 | Black | 12,50 | 2514

HEIMSKRINGLA (931,08) TWISTED BARS OF BLUETOUGE

Max length 2,5 m (8.2 ft)

931,08.01.20 | Ø 20 | Black | 2,50 | 726
931,08.01.25 | Ø 25 | Black | 3,85 | 1118
931,08.01.33 | Ø 33 | Black | 6,70 | 1945
931,08.01.45 | Ø 45 | Black | 12,50 | 3629

PATTERNED MARTENSITIC DAMASCENE STEELS IN FLAT DIMENSIONS FOR KNIFE APPLICATIONS

Max length 1 meter (3.3 ft)

Article nr. | mm | Surface | Kg/m | Euro/m (excl. VAT)

ROSE (935,04)

935,04.25.26x2,5	26x2,5	Ground	0,51	244
935,04.25.26x3,2	26x3,2	Ground	0,65	311
935,04.25.26x4	26x4	Ground	0,82	393
935,04.25.32x2,5	32x2,5	Ground	0,63	302
935,04.25.32x3,2	32x3,2	Ground	0,80	383
935,04.25.32x4	32x4	Ground	1,00	479
935,04.25.38x2,5	38x2,5	Ground	0,75	359
935,04.25.38x3,2	38x3,2	Ground	0,95	455
935,04.25.38x4	38x4	Ground	1,20	575

ODIN'S EYE (935,05)

935,05.25.26x2,5	26x2,5	Ground	0,51	244
935,05.25.26x3,2	26x3,2	Ground	0,65	311
935,05.25.26x4	26x4	Ground	0,82	393
935,05.25.32x2,5	32x2,5	Ground	0,63	302
935,05.25.32x3,2	32x3,2	Ground	0,80	383
935,05.25.32x4	32x4	Ground	1,00	479
935,05.25.38x2,5	38x2,5	Ground	0,75	359
935,05.25.38x3,2	38x3,2	Ground	0,95	455
935,05.25.38x4	38x4	Ground	1,20	575

HAKKAPELLA (935,07)

935,07.25.26x2,5	26x2,5	Ground	0,51	244
935,07.25.26x3,2	26x3,2	Ground	0,65	311
935,07.25.26x4	26x4	Ground	0,82	393
935,07.25.32x2,5	32x2,5	Ground	0,63	302
935,07.25.32x3,2	32x3,2	Ground	0,80	383
935,07.25.32x4	32x4	Ground	1,00	479
935,07.25.38x2,5	38x2,5	Ground	0,75	359
935,07.25.38x3,2	38x3,2	Ground	0,95	455
935,07.25.38x4	38x4	Ground	1,20	575

LADDER (931,09)

931,09.25.26x2,5	26x2,5	Ground	0,51	244
931,09.25.26x3,2	26x3,2	Ground	0,65	311
931,09.25.26x4	26x4	Ground	0,82	393
931,09.25.32x2,5	32x2,5	Ground	0,63	302
931,09.25.32x3,2	32x3,2	Ground	0,80	383
931,09.25.32x4	32x4	Ground	1,00	479
931,09.25.38x2,5	38x2,5	Ground	0,75	359
931,09.25.38x3,2	38x3,2	Ground	0,95	455
931,09.25.38x4	38x4	Ground	1,20	575

TWIST (938,02) ca 20 turns/meter

938,02.25.26x3,2	26x3,2	Ground	0,65	311
938,02.25.32x3,2	32x3,2	Ground	0,80	383
938,02.25.32x4	32x4	Ground	1,00	479
938,02.25.38x3,2	38x3,2	Ground	0,95	455
938,02.25.38x4	38x4	Ground	1,20	575

BJÖRKMANTWIST (938,52)

938,52.25.26x3,2	26x3,2	Ground	0,65	364
938,52.25.32x3,2	32x3,2	Ground	0,80	448

938,52.25.32x4	32x4	Ground	1,00	560
938,52.25.38x3,2	38x3,2	Ground	0,95	532

VINLAND (935,06)

935,06.25.26x3,2	26x3,2	Ground	0,65	311
935,06.25.32x3,2	32x3,2	Ground	0,80	383
935,06.25.32x4	32x4	Ground	1,00	479
935,06.25.38x3,2	38x3,2	Ground	0,95	455
935,06.25.38x4	38x4	Ground	1,20	575
935,06.25.45x3,2	45x3,2	Ground	1,13	541

GROSSERSEN (935,03)

935,03.25.32x3,2	32x3,2	Ground	0,80	383
935,03.25.32x4	32x4	Ground	1,00	479
935,03.25.38x3,2	38x3,2	Ground	0,95	455
935,03.25.38x4	38x4	Ground	1,19	575

HEIMSKRINGLA (931,08)

931,08.25.26x3,2	26x3,2	Ground	0,65	351
931,08.25.32x3,2	32x3,2	Ground	0,80	432
931,08.25.32x4	32x4	Ground	1,00	539
931,08.25.38x3,2	38x3,2	Ground	0,95	512

MUNIN (931,77)

931,77.25.26x2,5	26x2,5	Ground	0,51	275
931,77.25.26x3,2	26x3,2	Ground	0,65	351
931,77.25.32x2,5	32x2,5	Ground	0,63	340
931,77.25.32x3,2	32x3,2	Ground	0,80	432
931,77.25.38x2,5	38x2,5	Ground	0,75	405
935,77.25.38x3,2	38x3,2	Ground	0,95	512

RWL-34 RAPIDLY SOLIDIFIED POWDER STEEL FOR KNIFE APPLICATIONS

Max length 3 m | Price per 1 meter

Article nr. | mm | Surface | Kg/m | Euro/m (excl. VAT) / 1m

903,00.21.35x14	35x14	Black	3,85	260
903,00.21.38x2,6	38x2,6	Black	0,78	56
903,00.21.38x3,5	38x3,5	Black	1,04	75
903,00.21.38x4	38x4	Black	1,19	85
903,00.21.40x5,2	40x5,2	Black	1,63	114
903,00.21.50x3,2	50x3,2	Black	1,26	90
903,00.21.50x7	50x7	Black	2,75	196
903,00.21.71x3	71 x 3	Black	1,78	130